

Publicaciones científicas

1. Kovacs FM, Arana E. Letter to the Editor. Ethnic and socioeconomic biases may lead to unexpected positive consequences for patients. **Spine J** 2020;20:1517.
2. Serranheira F, Sousa-Uva M, Heranz F, Kovacs F, Sousa-Uva A. Low back pain, work and absenteeism. **Work** 2020;65:463-469 doi:10.3233/WOR-203073.
3. Arana E, Kovacs FM, Royuela A, Asenjo B, Nagib F, Pérez-Aguilera S, Dejoz M, Cabrera-Zubizarreta A, García-Hidalgo Y, Prada R, Estremera A, Casillas C, Ferrer P, and the Spanish Back Pain Research Network Task Force for the improvement of inter-disciplinary management of spinal metastasis. Metastatic versus osteoporotic vertebral fractures on MR imaging: a blinded, multicenter and multispecialty observer agreement evaluation. **J Natl Compr Canc Net** 2020;18(3):267–273doi: 10.6004/jnccn.2019.7367.
4. Kovacs FM, Seco J, Fernández-Félix BM, Zamora J, Royuela A, Muriel A. Predicting the evolution of a neck pain episode. Analysis of a registry in routine clinical practice. **BMC Musculoskelet Disord** 2019;20:620. <https://doi.org/10.1186/s12891-019-2962-9>.
5. Hayden JA, Wilson MN, Sterwart S, Cartwright J, Smith AO, Riley RD, et al. Exercise treatment effect modifiers in persistent low back pain: An individual participant data meta-analysis of 3514 participants from 27 randomized controlled trials. **Br J Sports Med** 2019;0:1–16. doi:10.1136/bjsports-2019-101205.
6. Calvo-Muñoz I, Kovacs F, Roqué M, Seco-Calvo J. The association between the weight of schoolbags and low back pain among schoolchildren. A systematic review, meta-analysis and individual patient data meta-analysis. **Eur J Pain** 2019Aug 17. doi: 10.1002/ejp.1471.
7. Brito-García N, García-Pérez L, Kovacs FM, del Pino-Sedeño T, Pérez-Ramos J, Imaz-Iglesia I, Serrano-Aguilar P Response to Letter to Editor. **Pain Med**, pnz180, <https://doi.org/10.1093/pm/pnz180>.
8. Chiarotto A, Boers M, Deyo RA, Buchbinder R, Corbin TP, Costa LOP, Foster N, Grotle M, Koes BW, Kovacs M, Lin C-WC, Maher C, Pearson AM, Peul WC, Schoene ML, Turk DC, van Tulder MW, Terwee C, Ostelo RW. Core outcome measurement instruments for clinical trials in non-specific low back pain. **Pain** 2018 Mar;159(3):481-495.
9. Brito-García N, García-Pérez L, Kovacs FM, del Pino-Sedeño T, Pérez-Ramos J, Imaz-Iglesia I, Serrano-Aguilar P Efficacy, effectiveness, safety and cost-effectiveness of epidural adhesiolysis for treating failed back surgery syndrome. A systematic review. **Pain Med** 2018 Dec 24. doi: 10.1093/pm/pny233.
10. Calvo-Muñoz I, Kovacs FM, Roqué M, Gago-Fernández I, Seco J. Risk factors for low back pain in childhood and adolescence. A systematic review. **Clin J Pain** 2018;34(5):468-484.
11. Genevay S, Courvoisier D, Konstantinou K, Kovacs FM, Marty M, Rainville J, Norberg M, Kaux JF, Cha TD, Katz JN, Atlas SJ. Clinical Classification Criteria for Neurogenic Claudication caused by Lumbar Spinal Stenosis. The N-CLASS criteria. **Spine J** 2018;18:941-947.
12. Kovacs FM, Seco J, Royuela A, Barriga A, Zamora J. Prevalence and factors associated with a higher risk of neck and back pain among permanent wheelchair

users. A cross-sectional study. **Spinal Cord** <https://doi.org/10.1038/s41393-017-0029-z>.

13. Kovacs FM, Arana E, Asenjo-García B, Estremera-Rodrigo A, Amengual-Aleman GJ, Sarasíbar-Ezcurra H, Alonso A, Álvarez-Galovich L. Re: Are Modic changes associated with intervertebral disc cytokine profiles? **Spine J** 2018;18:377-8.
14. Genevay S, Courvoisier D, Konstantinou K, Kovacs FM, Marty M, Rainville J, Norberg M, Kaux JF, Cha TD, Katz JN, Atlas SJ. Clinical classification criteria for radicular pain caused by lumbar disc herniation: the RAPIDH criteria (Radicular Pain caused by Disc Herniation). **Spine J** 2017;17:1464-1471.
15. Díaz Arribas MJ, Fernández-Serrano M, Royuela A, Kovacs FM, Gallego-Izquierdo T, Ramos-Sánchez M, Llorca-Palomera R, Pardo-Hervás P, San Martín-Pariente O. Minimal Clinically Important Change in quality of life for patients with low back pain. **Spine** (Phila Pa 1976) 2017;42:1908-1916.
16. Kovacs FM, Seco J, Royuela A, Betegon JN, Sánchez-Herráez S, Meli M, Martínez-Rodríguez ME, Nuñez M, Álvarez-Galovich L, Moyá J, Sánchez C, Luna S, Borrego P, Moix J, Rodríguez-Pérez V, Torres-Unda J, Burgos-Alonso N, Gago-Fernández I, González-Rubio Y, Abraira V. The association between sleep quality, low back pain and disability. A prospective study in routine practice. **Eur J Pain** 2017 Aug 27. doi: 10.1002/ejp.1095.
17. Kovacs F, Seco J, Arana A, Royuela A. Advocating for a moratorium on low quality research in the spinal manipulation field. **Spine J** 2016;16:1423-24.
18. Arana E, Kovacs FM, Royuela A, Asenjo B, Pérez-Ramírez U, Zamora J. Re: "Prediction of skeletal-related events in patients with non-small cell lung cancer" - use of Spine Instability Neoplastic Score (SINS). **Support Care Cancer** 2016 doi:10.1007/s00520-016-3268-1.
19. Kovacs FM, Arana E. Patología degenerativa en la columna lumbar. **Radiología** 2016;58(S1):26-34.
20. Kovacs FM, Barriga A, Royuela A, Seco J, Zamora J. Spanish adaptation of the Quality of Life index Spinal Cord Injury Version. **Spinal Cord** 2016;54:895-900.
21. Arana E, Kovacs FM, Royuela A, Asenjo B, Pérez-Ramírez U, Zamora J and the Spanish Back Pain Research Network Task Force for the improvement of interdisciplinary management of spinal metastasis. Agreement in metastatic spinal cord compression. **J Natl Compr Canc Netw** 2016;14(1):70-76.
22. Arana E, Kovacs FM, Royuela A, Pérez-Ramírez U, Zamora J, and the Spanish Back Pain Research Network Task Force for the improvement of interdisciplinary management of spinal metastasis. Spine Instability Neoplastic Score: Agreement across different medical and surgical specialties. **Spine J** 2016;16:591-599.
23. Kovacs FM, Seco J, Royuela A, Melis S, Sánchez C, Díaz-Arribas MJ, Meli M, Nuñez M, Martínez-Rodríguez ME, Fernández C, Gestoso M, Mufraggi N, Moyá J, Rodríguez-Pérez V, Torres-Unda J, Burgos-Alonso N, Gago-Fernández I, Abraira V. Patients with neck pain are less likely to improve if they suffer from poor sleep quality. A prospective study in routine practice. **Clin J Pain** 2015 31(8):713-21.
24. Chiarotto A, Deyo RA, Terwee CB, Boers M, Buchbinder R, Corbin TP, Costa LO, Foster NE, Grotle M, Koes BW, Kovacs FM, Lin CW, Maher CG, Pearson AM, Peul WC, Schoene ML, Turk DC, van Tulder MW, Ostelo RW. Erratum to: Core outcome domains for clinical trials in non-specific low back pain. **Eur Spine J**, 2015 Sep;24(9):2097.

25. Seco J, Kovacs FM, Urrútia G. Improving Methodology When Analyzing Shockwave Evidence: Evidence Holds the Key. **Spine J** 2015;15(7):1703.
26. Arana E, Kovacs FM, Royuela A, Pérez-Ramírez U, Zamora J, and the Spanish Back Pain Research Network Task Force for the improvement of interdisciplinary management of spinal metastasis. Agreement in the assessment of metastatic spine disease using scoring systems. **Radiother Oncol** 2015;115:135-140.
27. Chiarotto A, Deyo RA, Terwee CB, Boers M, Buchbinder R, Corbin T, Costa LOP, Foster NE, Grotle M, Koes BW, Kovacs FM, Lin C-WC, Maher CG, Pearson AM, Peul WC, Schoene ML, Turk DC, van Tulder MW, Ostelo RW. Core outcome domains for clinical trials in non-specific low back pain. **Eur Spine J** 2015 Jun;24(6):1127-42.
28. Díaz-Arribas MJ, Kovacs FM, Royuela A, Fernández-Serrano M, Gutiérrez-Fernández L, San Matín-Pariente O, Abraira V, and the Spanish Back Pain Research Network The effectiveness of the Godelieve Denys-Struyf (GDS) method in patients with low back pain: a cluster randomized controlled trial. **Phys Ther** 2015 Mar;95(3):319-36.
29. Chiarotto A, Terwee CB, Deyo RA, Boers M, Lin CC, Buchbinder R, Corbin T, Costa LO, Foster NE, Grotle M, Koes BW, Kovacs FM, Maher CG, Pearson AM, Peul WC, Schoene ML, Turk DC, van Tulder MW, Ostelo RW. A Core Outcome Set for Clinical Trials on Non-Specific Low Back Pain: Study Protocol for the Development of a Core Domain Set. **Trials** 2014;15(1):511. DOI: 10.1186/1745-6215-15-511.
30. Cano A, Gestoso M, Kovacs F, Hale C, Mufraggi N, Abraira V. The perceptions of people with low back pain treated in the Spanish National Health, and their experience while undergoing a new evidence based treatment. A focus group study. **DisabilRehabil** 2014;36(20):1713-22.
31. Kovacs FM, Moix J, Royuela A, Seco J. Re: *Wertli MM, Burgstaller JM, Weiser S, Steurer J, Kofmehl R, Held U. Influence of catastrophizing on treatment outcome in patients with nonspecific low back pain. A systematic review. Spine 2014;39:263-273.* **Spine** 2014;21(39):1829.
32. Campillo C, Casamitjana M, Carrillo-Arias F, Royuela A, Kovacs FM, Abraira V. Post-implementation surveillance of a non-pharmacological health technology within a National Health Service. **Int J Technol Assess Health C** 2014 (30);2:153-164.
33. Royuela A, Kovacs FM, Campillo C, Casamitjana M, Muriel A, Abraira V. Predicting outcomes of neuroreflexotherapy in patients with subacute or chronic neck or low back pain. **Spine J** 2014;14:1588-1600.
34. Kovacs FM, Urrútia G. "Overviews" should meet the methodological standards of systematic reviews. **Eur Spine J** 2014 Feb;23(2):480.
35. Kovacs FM, Arana E, Royuela A, Estremera A, Amengual G, Asenjo B, Sarasibar H, Galarraga I, Alonso A, Casillas C, Muriel A, Martínez C, Abraira V. Disc degeneration and chronic low back pain: an association which becomes non-significant when endplate changes and disc contour are taken into account. **Neuroradiology** 2014 Jan;56(1):25-33.
36. Kovacs F, Arana E, Royuela A. Re: Emery DJ, Shojania KG, Forster AJ, Mojaverian N, Feasby TE. Inappropriate use of lumbar magnetic resonance imaging: limitations and potential solutions. **JAMA Intern Med** 2013;173(21):2012.

37. Kovacs FM, Urrútia G, Arana E, Álvarez-Galovich L, Olabe J. *Re: Lumbar spine fusion for chronic low back pain due to degenerative disc disease. A systematic review.* **Spine** 2013;38:E409–22. Spine 2013;38:1901.
38. Kovacs F, Royuela A, Zamora J, Abraira V. *Re: Mueller B, Carreon LY, Glassman SD. Comparison of the EuroQol-5D with the Oswestry Disability Index, back and leg pain scores in patients with degenerative lumbar spine pathology.* **Spine** 2013;38:757-761. **Spine** 2013;38:1523.
39. Campillo C, Kovacs F. The use of risk sharing tools for post adoption surveillance of a non pharmacological technology in routine practice: results after one year. **BMC Health Serv Res** 2013, 13:181 doi:10.1186/1472-6963-13-181.
40. Kovacs F, Seco S, Urrutia G. Time to cease the use of ultrasounds for treating low back pain. **Annals of Family Medicine**. March/April 2013, 11 (2). Published March 25, 2013 http://www.annfammed.org/content/11/2/122/reply#annalsfm_el_2562
41. Kovacs FM, Arana E, Royuela A, Cabrera A, Casillas C, Piñero P, Vega M, Estremera A, Amengual G, Sarasíbar H, Ferrer P, Manjarrés A, Zamarro J, Bravo-Rodríguez F, Paniagua JC, Mota J, Sánchez-Sagrado T, Abraira V. Appropriateness of lumbar spine magnetic resonance imaging in Spain. **Eur J Rad** 2013;82:1008-1014.
42. Gervas J, Kovacs FM. Index case for the fungal meningitis outbreak. **N Engl J Med** 2013;368(10);970.
43. Kovacs FM, Arana E, Royuela A, Estremera A, Amengual G, Asenjo B, Sarasíbar H, Galarraga I, Alonso A, Casillas C, Muriel A, Martínez C, Abraira V. *Re: Fitzgerald RT. Paternalism in radiology?* **AJNR Am J Neuroradiol** 2013 Jan;34(1):E8. doi:10.3174/ajnr.A3438.
44. Hayden JA, Cartwright JL, Riley RD, van Tulder MW and the Chronic LBP IPD Meta-analysis Group. Exercise therapy for chronic low back pain: protocol for an individual participant data meta-analysis. **Systematic Reviews** 2012;1: 64.
45. Kovacs FM, Seco J, Royuela A, Muriel A, Abraira V. The challenge of taking on board unexpected conclusions. **Spine J** 2012 Dec;12(12):1167-8.
46. Kovacs FM, Royuela A, Arana E, Estremera A, Amengual G, Asenjo B, Sarasíbar H, Galarraga I, Muriel A, Martínez C, Abraira V. *Re: ISSLS prize winner: lumbar vertebral endplate lesions associations with disc degeneration and back pain history.* **Spine** 2012;37:1490-6. **Spine** 2012;38:93.
47. Kovacs FM, Seco J, Royuela A, Corcoll J, Abraira V and the Spanish Back Pain Research Network. Predicting the evolution of low back pain patients in routine clinical practice. Results from a registry within the Spanish National Health Service. **Spine J** 2012;12:1008-1020.
48. Arana E, Ruiz-España S, Kovacs FM, Moratal D. Computer-assisted diagnosis of degenerative lumbar spine MR imaging. **Neuroradiology** 2012;54:S75.
49. Kovacs FM, Seco J, Royuela A, Corcoll J, Peña A, and the Spanish Back Pain Research Network. The prognostic value of catastrophizing for predicting the clinical evolution of low back pain patients. A study in routine clinical practice within the Spanish National Health Service [NCT00502333]. **Spine J** 2012;12:545-555.
50. Kovacs FM, Arana E, Royuela A, Estremera A, Asenjo B, Sarasíbar H, Galarraga I, Alonso A, Casillas C, Muriel A, Martínez C, Abraira V. Vertebral endplate

changes are not associated with chronic low back pain among Southern European subjects. A case control study [NCT00479063]. **AJNR Am J Neuroradiol** 2012;33:1519-1524.

51. Arana E, Kovacs FM. Enfermedades dolorosas del raquis: precaución y oportunidades con las técnicas de imagen. **Radiología** 2012;54:287.
52. Kovacs FM, García E, Royuela A, González L, Abraira V, and the Spanish Back Pain Research Network. Prevalence and factors associated with low back pain and pelvic girdle pain during pregnancy. A multicenter study conducted in the Spanish National Health Service. **Spine** 2012;37:1516–1533.
53. Seco J, Kovacs FM, Urrútia G. Recommendations on ultrasound for low back pain: profit-driven or evidence-based? **Spine J** 2012;12:360.
54. Kovacs FM, Abraira V, Arana V, Royuela A, Estremera A, Asenjo B, Sarasíbar H, Amengual G, Galarraga I, Alonso A, Casillas C, Muriel A, Montoya J, Ordóñez C, Martínez C, Zamora J, Campillo C. Re: Kääpä E, Luoma K, Pitkaniemi J, et al. Correlation of size and type of modic types 1 and 2 lesions with clinical symptoms: a descriptive study in a subgroup of patients with chronic low back pain on the basis of a university hospital patient sample. **Spine**;37:134-9. **Spine** 2012;13:1184.
55. Kovacs FM, Abraira V, Arana E, Royuela E, Álvarez-Galovich L, Bagó J, Peul WC, Schoene ML, Corbin TP. Concerns over the usefulness of Modic changes for recommending total disc arthroplasty. **Spine** 2012;11(37):1014–1015.
56. Kovacs FM, Martínez C, Arana E, Royuela A, Estremera A, Amengual G, Asenjo B, Sarasíbar H, Galarraga I, Alonso A, Casillas C, Muriel A, Abraira V. Uncertainties in the measurement of lumbar spinal stenosis on MRI. Are they clinically relevant? **Radiology** 2012;2:310-311.
57. Kovacs FM, Abraira V, Moix J, Albaladejo C, Zamora J, Royuela A, Muriel A, Gestoso M, Mufraggi N. Fear avoidance beliefs and low back pain; “practical reviews” from expert panel discussions versus comprehensive systematic reviews. **Spine J** 2012;2:174-175.
58. Corbin TP, Peul WC, Schoene ML, Kovacs FM. Re: Williams BJ, Smith JS, Fu KM, et al. Does bone morphogenetic protein increase the incidence of perioperative complications in spinal fusion? **Spine** 2012;37:258.
59. Kovacs FM, Abraira V, Gérvas J, Arana E, Peul WC, Schoene M, Corbin T. Overenthusiastic interpretations of a nonetheless promising study. **Transplantation** 2012;93:e6.
60. Froud R, Eldridge S, Kovacs F, Breen A, Bolton J, Dunn K, Fritz J, Keller A, Kent P, Lauridsen HH, Ostelo R, Pincus T, van Tulder M, Vogel S, Underwood M. Reporting outcomes of back pain trials: A modified Delphi study. **Eur J Pain** 2011;15(10):1068-74.
61. Serrano-Aguilar P, Kovacs FM, Cabrera-Hernández JM, Ramos-Goñi JM, García-Pérez L. Avoidable costs of physical treatments for chronic back, neck and shoulder pain within the Spanish National Health Service: a cross-sectional study. **BMC Musculoskeletal Disorders** 2011;12:287 doi:10.1186/1471-2474-12-287.
62. Seco J, Kovacs FM, Urrutia G. The efficacy, safety, effectiveness, and cost/effectiveness of ultrasound and shock wave therapies for low back pain: A systematic review. **Spine J** 2011;11:966-77.

63. Kovacs FM, Urrútia G, Alarcón JD. Surgery versus conservative treatment for symptomatic lumbar spinal stenosis. A systematic review of randomized controlled trials. **Spine** 2011;36:E1335–E1351.
64. Moix J, Kovacs FM, Martín A, Plana MN, Royuela A, and The Spanish Back Pain Research Network. Catastrophizing, state-anxiety, anger and depressive symptoms do not correlate with disability when variations of trait-anxiety are taken into account. A study of chronic low back pain patients treated in Spanish pain units [NCT00360802]. **Pain Medicine** 2011;12:1008–1017.
65. Kovacs FM, Olabe J, Urrútia G, Zamora J, Bagó J, Álvarez-Galovich L, Abraira V. Yet another reason for improving approval and surveillance processes for health technologies. **Spine J** 2011;11(8):800-801.
66. Kovacs FM, Abraira V, Urrútia G. Advocating for cost/effective placebos. **Spine** 2011;36(19):1615.
67. Arana E, Kovacs FM, Royuela A, Estremera A, Asenjo B, Sarasíbar H, Amengual G, Galarraga I, Alonso A, Casillas C, Muriel A, Montoya J, Ordóñez C, Martínez C, Zamora J, Campillo C, Abraira V. Modic changes and associated features in Southern European chronic low back pain patients. **Spine J** 2011;11 :402-411.
68. Arana E, Kovacs FM. Phraseology of disk herniation: an unproductive debate. **Clinical Radiology** 2011;66: 896-899.
69. Arana E, Kovacs FM, Royuela A, Estremera A, Sarasíbar H, Amengual G, Galarraga I, Martínez C, Muriel A, Abraira V, Zamora J, Campillo C. The influence of nomenclature in the interpretation of lumbar disk contour on MRI: A comparison of the agreement using the Combined Task Force and the Nordic nomenclatures. **AJNR Am J Neuroradiol** 2011;32:1143– 48.
70. Kovacs FM, Oliver-Frontera A, Plana MN, Royuela A, Muriel A, Gestoso M and the Spanish Back Pain Research Network. Improving schoolchildren’s knowledge of methods for prevention and management of low back pain. A cluster randomized controlled trial. **Spine** 2011;36:E505–E512.
71. Kovacs FM, Seco J, Royuela A, Peña A, Muriel A and the Spanish Back Pain Research Network. The correlation between pain, catastrophizing and disability in subacute and chronic low back pain. A study in the routine clinical practice of the Spanish National Health Service. **Spine** 2011;36:339–345.
72. Albadalejo C, Kovacs FM, Royuela A, del Pino R, Zamora J et al. The efficacy of a short education program and a short physiotherapy program for treating low back pain in primary care. A cluster randomized trial. **Spine** 2010;35: 483–496.
73. Arana E, Royuela A, Kovacs FM, Estremera A, Sarasíbar H, Amengual G, Galarraga I, Martínez C, Muriel A, Abraira V, Gil del Real MT, Zamora J, Campillo C. Agreement in the interpretation of 1.5T Magnetic Resonance images of the lumbar spine using the Nordic Modic Consensus Group Classification form. **Radiology** 2010; 254:809–817.
74. Palou P, Kovacs FM, Vidal J, Gili M, Borrás PA, Gestoso M, Ponseti X. Validation of a questionnaire to determine risk factors for back pain in 10-12 year-old school children. **Gazz Med Ital** 2010;5(169):199-205.
75. Kovacs FM, Royuela A, Jensen TS, Estremera A, Amengual G, Muriel A, Galarraga I, Martínez C, Arana E, Sarasibar H, Salgado RM, Abraira V, López O, Campillo C, Gil del Real MT, Zamora J. Agreement in the interpretation of magnetic resonance images of the lumbar spine. **Acta Radiologica** 2009; 5: 497-506.

76. Kovacs FM, Zanolli G. Re: Yuan J, Purepong N, Kerr DP, et al. Effectiveness of acupuncture for low back pain. A systematic review. *Spine* 2008;33:E887–E900. **Spine** 2009, April 1; 34 (7):752.
77. Carragee EJ, Deyo RA, Kovacs FM, Wilco CP, Lurie JD, Urrútia G. Is the spine field a mine field? **Spine** 2009; 34 (5): 423-430.
78. Cherkin D, Kovacs FM, Croft P, Borkan J, Foster NE, Öberg B, Urrútia G, Zamora J. The ninth international forum for primary care research on low back pain. **Spine** 2009; 34 (3): 304-307.
79. Kovacs FM, Gil del Real MT, López J, Gestoso M, Mufraggi N. La Influencia de los padres sobre el consumo de alcohol y tabaco y otros hábitos de los adolescentes de Palma de Mallorca en 2003. **Rev Esp Salud Pública** 2008; 82 (6): 677-689.
80. Latorre-Marqués E, Urruia G, Alonso P, Kovacs F, Gil del Real MT. El manejo de la lumbalgia en la «era del conocimiento»: ¿Guías de práctica clínica basadas en la evidencia o en el «consenso»? **Dolor** 2008;1(23);5-6.
81. Latorre-Marqués E, Kovacs F, Gil del Real MT, Alonso P, Urrutia G. La versión española de la Guía COST B13: Una guía de práctica clínica para la lumbalgia inespecífica basada en la evidencia científica. **Dolor** 2008;1(23):7-17.
82. Kovacs FM, Gil del Real MT, Gestoso M et al. Relación entre hábitos de vida y calificaciones escolares en adolescentes. **Apuntes Med del Deporte** 2008; 160: 181-188.
83. Kovacs FM, Noguera J, Abaira V, Royuela A, Cano A, Gil del Real MT, Zamora J, Gestoso M, Muriel A, Mufraggi N. The influence of psychological factors on low back pain-related disability in community-dwelling older persons. **Pain Med** 2008; 9(7): 871-880.
84. Kovacs FM, Bagó J, Royuela A, Seco J, Giménez S, Spanish Back Pain Research Network. Psychometric characteristics of the Spanish version of instruments to measure neck pain disability. **Biomed Central Musculoskeletal** 2008. 9:42 doi:10.1186/1471-2474-9-42 <http://www.biomedcentral.com/1471-2474/9/42>
85. Kovacs FM, Abaira V, Royuela A, Corcoll J, Alegre L, Tomás M, Mir MA, Cano A, Muriel A, Zamora J, Gil del Real MT, Gestoso M, Mufraggi N. Minimum detectable and minimal clinically important changes for pain in patients with nonspecific neck pain. **BMC Musculoskeletal Disorders** 2008, 9:43 doi:10.1186/1471-2474-9-43. <http://www.biomedcentral.com/1471-2474/9/43>.
86. Dionne CE, Dunn KM, Croft PR et al. A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. **Spine** 2008; 33:95-103.
87. Berguer A, Kovacs F, Abaira V, Mufraggi N, Royuela A, Muriel A, Gestoso M, Falahat F, Martín-Granizo R, Zamora J. Neuro-reflexotherapy for the management of myofascial TMJ pain. A double-blind, placebo controlled, randomized clinical trial. **J Oral Maxillofac Surgery** 2008;66:1664-77.
88. Kovacs, F. M. Del Real, M. T. G. Gestoso, M. Mufraggi, N. Martin, M. Jimenez, S. M. Santos, S. Nishishinya, B. Cuidados de la espalda de los cuidadores. **Revista ROL de Enfermería** 2007; 30 (9): 569-574.
89. Kovacs FM, AbairaV. La Red Española de Investigadores en Dolencias de Espalda (REIDE). Definición y actividad. **Medicina Preventiva** 2007, 3er trimestre; XIII (3): 7.

90. Clavo B, Robaina F, Kovacs FM, Urrútia G. Fulminating septicaemia secondary to oxygen-ozone therapy for lumbar disc herniation. Case report. Letter to the Editor. **Spine** 2007; (32): 18:2036.
91. Kovacs FM, Abraira V, Royuela A, Corcoll J, Alegre L, Cano A, Muriel A, Zamora J, Gil del Real MT, Gestoso M, Mufraggi N, Spanish Back Pain Research Network. Minimal clinically important change for pain intensity and disability in patients with nonspecific low back pain. **Spine** 2007; 32 (25): 2915-2920.
92. Kovacs FM, Urrutia G. An updated systematic review on the effectiveness, cost/effectiveness and safety of total lumbar disc replacement prostheses. **European Musculoskeletal Review** 2007;
93. Kovacs F, Abraira V, Cano A, Royuela A, Gil del Real MT, Gestoso M, Mufraggi N, Muriel A, Zamora J, Spanish Back Pain Research Network. Fear avoidance beliefs do not influence disability and quality of life in Spanish elderly subjects with low back pain. **Spine** 2007;32:2133-2138.
94. Kovacs FM, Muriel A, Castillo Sánchez MD, Medina JM, Royuela A and the Spanish Back Pain Research Network. Fear avoidance beliefs influence duration of sick leave in Spanish low back pain patients. **Spine** 2007;32 (16):1761-1766.
95. Kovacs FM, Abraira V, Muriel A, Corcoll J, Alegre J, Tomas M, Mir MA, Tobajas P, Gestoso M, Mufraggi N, Gil del Real MT, Zamora J. Prognostic factors for neuroreflexotherapy in the treatment of subacute and chronic neck and back pain. A study of predictors of clinical outcome in routine practice of the Spanish National Health Service. **Spine** 2007;32(15):1621-1628.
96. Urrútia G, Kovacs FM, Nishishinya MB, Olabe J. Author reply to comment on Percutaneous thermocoagulation intradiscal techniques for discogenic low back pain. Letter to the Editor. **Spine** 2007;32(25):2928-9.
97. Urrutia G, Kovacs FM, Nishishinya B, Olabe J. Percutaneous thermocoagulation intradiscal techniques for discogenic low back pain. A systematic review. **Spine** 2007;32(10):1146-54.
98. Kovacs FM, Abraira V, Santos S, Díaz E, Gestoso M, Muriel A, Gil del Real MT, Mufraggi N, Noguera J, Zamora J for the Spanish Back Pain Research Network. A comparison of two short education programs for improving low back pain-related disability in the elderly: a cluster randomised controlled trial. **Spine** 2007;32(10):1053-1059.
99. Zamora J, Kovacs F, Abraira V, Fernández C, Lázaro P, The Spanish Back Pain Research Network. The social tariff of EQ-5D is not adequate to assess health-related Quality of Life in patients with low back pain. **Qual Life Res** 2007, Apr; 16(3): 523-531.
100. Kovacs FM, Fernandez C, Cordero A, Muriel A, González-Luján L and the Spanish Back Pain Research Network. Non-specific low back pain in primary care in the Spanish National Health Service: a prospective study on clinical outcomes and determinants of management. **BMC Health Serv Res** 2006 May 17;6:57.
101. Aalto TJ, Malmivaara A, Kovacs FM, Herno A, Alen M, Salmi L, Kroger H, Andrade J, Jimenez R, Tapaninaho A, Turunen V, Savolainen S, Airaksinen O. Preoperative predictors for postoperative clinical outcome in lumbar spinal stenosis. Systematic Review. **Spine** 2006; 31 (18): E648-E663.
102. Kovacs FM, Urrutia G, Nishinshiya B, Olabe J, Roque M, García J, Gil-Del-Real MT. Systematic review on the efficacy and safety of intervertebral disc prostheses in the lumbar spine. **Spine J** 2006;6 (5):4S-5S.

103. van Tulder M, Becker A, Bekkering T, Breen A, Gil del Real MT, Hutchinson A, Koes B, Laerum E, Malmivaara A, On behalf of the COST B13 Working Group on Guidelines for the Management of Acute Low Back Pain in Primary Care. European guidelines for the management of acute nonspecific low back pain in primary care. **Eur Spine J** 2006;15(Supplement 2):S169-191.
104. Airaksinen O, Brox JI, Cedraschi C, Hildebrandt J, Klüber-Moffett J, Kovacs FM, Mannion AF, Reis S, Staal JB, Ursin H, Zanoli G, On behalf of the COST B13 Working Group on Guidelines for Chronic Low Back Pain. European guidelines for the management of chronic nonspecific low back pain. **Eur Spine J** 2006;15(Supplement 2):S192-299.
105. Kovacs FM, Muriel A, Abraira V, Medina JM, Castillo MD, Olabe J, and Spanish Back Pain Research Network. Psychometric characteristics of the Spanish version of the FAB Questionnaire. **Spine** 2006; 31 (1): 104-110.
106. Red Española de Investigadores en Dolencias de la Espalda. El interés de la Red Española de Investigadores en Dolencias de la Espalda para el Médico Rehabilitador. SERMEF. **Rehabilitación**, Madrid 2005; 39 (4): 185-91.
107. Kovacs FM, Muriel A, Victor A, Medina JM, Castillo Sanchez MD, Olabe J and the Spanish Back Pain Research Network. The influence of Fear Avoidance Beliefs on Disability and Quality of Life is sparse in Spanish low back patients. **Spine** 2005;30(22):E676-E682.
108. Kovacs FM, Abraira V, Zamora J, Fernández C and the Spanish Back Pain Research Network. The transition from acute to subacute and chronic low back pain. A study based on determinants of quality of life and prediction of chronic disability. **Spine** 2005;30(15):1786-1792.
109. Moix J, y la Red Española de Investigadores en Dolencias de la Espalda. Invitación para formar parte de la Red española de Investigadores en Dolencias de la Espalda. **Ansiedad y Estrés** 2005;11(1):101-110.
110. Kovacs FM. El uso del cuestionario Roland-Morris en los pacientes con lumbalgia asistidos en atención primaria. **SEMERGEN** 2005;31(7):331-5.
111. Seguí M, Giménez S, Martínez F, Panero P, Abraira V, y la Red Española de Investigadores en Dolencias de la Espalda. La Red Española de Investigadores en Dolencias de la Espalda. **SEMERGEN** 2005;31(5):199-203.
112. Kovacs M. Acupuncture does not produce a significant clinical effect in chronic neck pain. [Commentary]. **Aust J Physiother** 2005;51:54.
113. Kovacs FM, González Luján L, Moix J, Martínez F, Luna S, Abraira V, Lázaro P, and The Spanish Back Pain Research Network. Interventions with similar efficacy to placebo: a useless randomised controlled trial. **BMJ** 2005. URL: <http://bmj.com/cgi/content/full/330/7482/75#responses> (available on line 21 February 2005).
114. Kovacs FM, Lazaro P, Muriel A, Abraira V, Zamora J, Fernandez C et al. Does the UK BEAM trial really support the use of manipulation? **BMJ** 2005. URL: <http://bmj.com/cgi/content/full/329/7479/1377#responses> (available on line 12 January 2005).
115. Grupo PINS. Intervención neuroreflejoteràpica para el tratamiento de las enfermedades mecánicas del raquis. Resultado de una experiencia piloto. **Gac Sanit** 2004;18(4):275-86.

116. Red Balear de investigadores en dolencias de la espalda. La Red Balear de investigadores en dolencias de la espalda (ReBIDE). **Medicina Balear** 2004;19(1):5-9.
117. Kovacs FM, Abraira V. Language bias in a systematic review of chronic pain: How to prevent the omission of non-English publications? **Clin J Pain** (2004;20 (3):199-200).
118. Kovacs FM, Abraira V, Zamora J, Gil del Real MT, Llobera J, Fernández C, and the Kovacs-Atención Primaria Group. Correlation between pain, disability and quality of life in patients with common low back pain. **Spine**: 2004;29(2):206-210.
119. Kovacs FM, Abraira V, Peña A, Hadler NM, Evans AT. Medium firm mattresses reduced pain related disability more than firm mattresses in chronic, non-specific low back pain. **Evidence-Based Medicine** 2004;4(9):119.
120. Kovacs FM, Abraira V, Martín-Rodríguez JG, Peña A, Sánchez-Vera M, Ferrer E, Ruano D, Guillén P, Gestoso M, Muriel A, Zamora J, Gil del Real MT, Mufraggi N. Effect of the firmness of the mattress on chronic non-specific low back pain. A randomised, double-blind, controlled, multicentre trial. **Lancet**: 2003;362:1599-1604.
121. Kovacs FM., Gestoso M, Gil del Real MT, López J, Mufraggi N, Méndez JI. Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study. **Pain** 2003;103:259-268.
122. European Commission COST B13 Management Committee: Van Tulder M; Kovacs FM; Mueller G; Airaksinen O; Balague F; Bross K; Burton K; Gil del Real MT, et al. European guidelines for the management of low back pain. **Acta Orthop Scand** 2002; (suppl 305) 73:20-25.
123. Kovacs FM, Llobera J, Gil del Real MT, Abraira V, Gestoso M, Fernández C. La neuroreflejo terapia en la lumbalgia subaguda y crónica es efectiva y eficiente. **EBM** (Edic. esp.) 2002;1:291-292.
124. Kovacs FM, Llobera J, Abraira V, Lázaro P, Pozo F, Kleinbaum D, and the KAP group. Effectiveness and Cost-Effectiveness Analysis of Neuroreflexotherapy for Subacute and Chronic Low Back Pain in Routine General Practice. **Spine** 2002;27 (11):1149-1159.
125. Kovacs FM. "Manejo clínico de la lumbalgia inespecífica basado en la evidencia científica". **SEMERGEN** 2002;28(1):1-3.
126. Kovacs FM, Llobera J, Gil del Real MT, Abraira V., Gestoso M., Fernández C.; and the KAP group. Validation of the Spanish Version of the Roland Morris Questionnaire. **Spine** 2002;27 (5):538-542.
127. Kovacs FM, Gil del Real MT, Abraira V, Lazaro P, Pozo F, López J. El Web de la espalda. **Medicina de Familia** 2001;2:149-51.
128. Kovacs F.M., Gestoso M., Mufraggi N. La intervención neuroreflejo terapéutica en el tratamiento de la lumbalgia inespecífica. **Dolor** 2001; 16; 88-91.
129. Kovacs FM, Llobera J, Abraira V, Aguilar MD, Gestoso M, Lazaro P, y Grupo KAP. Evaluación económica de la Neuroreflejo terapia en el tratamiento de la lumbalgia inespecífica. **Asociación Economía de la Salud**, Barcelona 2001.
130. Kovacs FM, Gestoso M, Mufraggi N, Gil del Real MT, Santos S, Martín M. Mejora de la salud laboral y reducción del absentismo por lumbalgia inespecífica. **Medicina del Trabajo** 2000;9:211-220.

131. Kovacs FM, Gil del Real MT. Un estudio necesario, pero un Comité de Expertos superfluo. **Med Clín** (Barc) 2000;115:637-8.
132. Kovacs FM, Gil del Real MT. Is approval of acupuncture for back pain really evidence based? **BMJ** 2000;321:1221.
133. Kovacs FM, Abaira V, Lázaro P, Grupo Web de la Espalda. Evaluación de la evidencia científica, actualización médica y divulgación sanitaria en Internet. El Web de la Espalda **Rheuma** 2000;3:43-52.
134. Kovacs FM, García A, Mufraggi N, García F, Pavía D, Prandi D, Gotzens V, Giralt I, Piera C, Setoain J. Migration pathways of hypodermically injected technetium-99m in dog. **Eur Radiol** 2000;10:1019-1025.
135. Gil del Real MT, Kovacs FM, Gestoso M, Mufraggi N, Dieguez JM y "Balearic Back Pain Group". Evaluation of two questionnaires to determine exposure to risk factors for non-specific low back pain in Mallorcan schoolchildren and their parents. **Eur J Public Health** 1999;9(3):194-199.
136. Kovacs F M, Abaira V, Pozo F, Peña A. Re: Stevens R, Goodwin S. Letter to the Editor. **Spine**1998;3:395-396. **Spine** 1998;3:396.
137. Peña A, Gestoso M, Kovacs FM, Mufraggi N. Escuela de la Espalda: Prevención y rehabilitación de las patologías mecánicas del raquis. **Rheuma** 1997;5:16-22.
138. Kovacs FM, Abaira V, Pozo F, Kleinbaum DG, Beltrán J, Mateo I, Pérez de Ayala C, Peña A, Zea A, González Lanza M, Morillas L. Local and Remote Sustained Trigger Point Therapy for Exacerbations of Chronic Low Back Pain. A randomized, Double-Blind, Controlled, Multicenter Trial. **Spine** 1997; 22:786-797.
139. Kovacs FM, Gotzens V, García A, García F, Mufraggi N, Prandi D, Setoain J, San Román F. Radioactive pathways of hypodermically injected technetium-99m. **Am J Chin Med** 1996;24(1):101-2.
140. Kovacs FM, Abaira V, Pozo F, Kleinbaum D, Beltrán J, Mateo I, et al. La intervención neurorreflejojoterápica (NRT) en la lumbalgia inespecífica crónica. **Rev Esp Reumatol** 1996; 23: 206.
141. Duró J, Carbonell J. La intervención neurorreflejojoterápica en el tratamiento de la lumbalgia inespecífica: un ensayo clínico controlado, aleatorizado, a doble ciego. Cartas al Director. **Med Clín** (Barc) 1994;1(103):37.
142. Kovacs FM, Mufraggi N, Gestoso M. La intervención neurorreflejojoterápica en la patología mecánica del raquis. **Rev Iberoam Rehab Med** 1994; 47: 89-104.
143. Kovacs FM, Mufraggi N. La medicina no convencional en Europa - El programa COST B4. **Index de Enfermería**. 1994;10:23-27.
144. Kovacs FM, Abaira V, López-Abente G, Pozo F. La intervención neurorreflejojoterápica en el tratamiento de la lumbalgia inespecífica: un ensayo clínico controlado, aleatorizado, a doble ciego. **Med Clín** (Barc) 1993;101:570-575.
145. Kovacs FM, Gotzens V, García A, García F, Mufraggi N, Prandi D, Setoain J, San Román F. Kinetics of hypodermically injected technetium-99m and correlation with cutaneous structures: an experimental study in dogs. **Eur J Nucl Med** 1993; 20: 585-590.
146. Kovacs FM, Gotzens V, García A, García F, Mufraggi N, Prandi D. Acupuncture and radioactive pathways of hypodermically injected technetium-99m. **J Nucl Med** 1992;33(11):2060.

147. Moreno J, Gestoso M, Kovacs FM. La efectividad de la intervención neurorreflejojoterápica en el Tratamiento de la Patología Mecánica Crónica del Raquis. Resultados Preliminares. **Medicina del Trabajo** 1992;1:433-443.
148. Kovacs FM, Gotzens V, García A, García F, Mufraggi N, Prandi D, Setoain J, San Román F. Experimental Study on Radioactive Pathways of Hypodermically Injected Technetium-99m. **J Nucl Med** 1992; 33: 403-407.
149. Prats-Galino A, Blanco-Font A, Arroyo-Guijarro J, Kovacs FM, Ruano D. The organization of the Cervical Vagus Nerve in the Dorsal Motor Nucleus demonstrated by Retrograde Transport of HRP in the Guinea Pig. **Verh Anal Ges (AnatAnz Suppl 170)** 1991; 707-708.
150. Prats-Galino A, Blanco-Font A, Arroyo-Guijarro J, Kovacs FM, Ruano D. Utilización de peroxidasas para el estudio de vías nerviosas. **Revista de la Reial Acadèmia de Medicina de Barcelona** 1991; 6: 73-76.